
Plastex Grid

Heavy-duty open-grid tiling that interlocks together to create raised work surfaces.





With its open-grid design and easy 'lock-fit' connection, Plastex Grid is ideal for covering large areas in industrial workplaces.

The tiles' heavy-duty open grid can withstand weights up to 50t/m2 and provides excellent drainage, making it the perfect tiling system for industrial workplaces where detergents, industrial chemicals and acids are likely to be spilled. Sitting at a raised height of 25mm, the tiles easily lock into place, creating an elevated work surface that's flexible yet hard wearing.













Secure 'lock fit'



25mm raised surface







connection

Benefits:



Surface protection;

reduces fatigue

Removes large quantities of liquids



Provides good slip resistance



Withstands weights up to 50T/m2



Easy to install, can be moved around as needed





Plastex Grid

Data sheet



Standard sizes:	
Product	Plastex Grid
Height	25mm (I")
Standard tile options	50 × 50cm (1'8" × 1'8")
Weight	3.6kg/m2 (0.7lb/sq.ft)

Tolerances:		
	Height (+/- 0.5mm)	Dimensions (+/- 1cm)
Plastex Grid	25mm	50cm × 50cm
All diseases are assessed		
All dimensions are nominal		

Chemical	Resistant to most acids, alkalines and oils.	
Composition	Made from linear low density polyethylene (LLDPE).	
Hygiene	Made from non-porous 100% LLDPE (linear low-density polyethylene), which inhibits the growth of bacteria.	
Thermal	Designed to function at temperatures from -23°C and up to +60°C. Slight size variation may occur at temperature extremes.	
Warranty	Two years.	

Installation:

Plastex Grid's 'lock fit' connection means installation is simple:

- The tiles easily and securely lock into place
- Creates a raised 25mm work surface
- Effectively covers large areas
- No special tools or previous site visits needed for installation

Cleaning:

Keeping Plastex Grid looking good is easy:

- Light to handle
- Simply lift to clean
- Easy to clean with a high pressure hose

Plastex Grid

Data sheet

















More colours available upon request

Ancillaries:

> Plastex Grid

Aluminium edging (H: 25mm)



Supplied in sections of 2m (6'6") length with fixing screws and plugs. Comes in anodised aluminium. Size: 25mm × 66mm × 2m (1" × 2 3/4" × 6'6")